Fischbach

NOZZLES

TYPE RD 10





CAN BE COMBINED WITH

280 ml, 290 ml, 300 ml and 310 ml Fischbach cartridges

ADVANTAGEOUS FEATURES

> suitable for most applications

> with nozzle clip for automatic adaptation to the cartridge beneath the cartridge thread

> good mechanical handling possible, especially on fully automatic filling lines

TECHNICAL SPECIFICATION

Material: HDPE with 50% PCR HDPE
Color: gray similar to F003
Weight: 4,0 g
Packaging unit: 1600 pcs./box

General tolerance:
DIN 16 901-150. Subject to technical changes. Our product recommendations are based on empirical data only and cannot replace the customer's own tests.

50 % RECYCLED PLASTIC
Certified by RecyClass

Fischbach GmbH
51766 Engelskirchen, Germany
Phone: +49 2263 609 0
info@fischbach-fi.com

Fischbach Großenhain GmbH
01558 Großenhain, Germany
Phone: +49 3522 5285 0
info@fischbach-fi.com

Fischbach Belgium N.V.
9140 Temse, Belgium
Phone: +32 371 096 20
belgium@fischbach-fi.com

Fischbach Ibérica S.A.U.
17410 Sils (Girona), Spain
Phone: +34 972 168 487
spain@fischbach-fi.com

Fischbach (UK) Limited
Cheshire WA7 1SN, Great Britain
Phone: +44 1928 579 320
uk@fischbach-fi.com

Fischbach USA LLC
Elizabethtown, KY, 42701 USA
Phone: +1 270 769 9333
usa@fischbach-fi.com

Fischbach USA LLC
Dallas, TX, 75234 USA
Phone: +1 469 533 5500
usa@fischbach-fi.com

www.fischbach-fi.com

Fischbach

NOZZLES

TYPE RD 10





CAN BE COMBINED WITH

280 ml, 290 ml, 300 ml and 310 ml Fischbach cartridges

ADVANTAGEOUS FEATURES

> suitable for most applications

> with nozzle clip for automatic adaptation to the cartridge beneath the cartridge thread

> good mechanical handling possible, especially on fully automatic filling lines

TECHNICAL SPECIFICATION

Material: HDPE with 50% PCR HDPE
Color: black similar to F004
Weight: 4,0 g
Packaging unit: 1600 pcs./box

General tolerance:
DIN 16 901-150. Subject to technical changes. Our product recommendations are based on empirical data only and cannot replace the customer's own tests.

50 % RECYCLED PLASTIC
Certified by RecyClass

Fischbach GmbH
51766 Engelskirchen, Germany
Phone: +49 2263 609 0
info@fischbach-fi.com

Fischbach Großenhain GmbH
01558 Großenhain, Germany
Phone: +49 3522 5285 0
info@fischbach-fi.com

Fischbach Belgium N.V.
9140 Temse, Belgium
Phone: +32 371 096 20
belgium@fischbach-fi.com

Fischbach Ibérica S.A.U.
17410 Sils (Girona), Spain
Phone: +34 972 168 487
spain@fischbach-fi.com

Fischbach (UK) Limited
Cheshire WA7 1SN, Great Britain
Phone: +44 1928 579 320
uk@fischbach-fi.com

Fischbach USA LLC
Elizabethtown, KY, 42701 USA
Phone: +1 270 769 9333
usa@fischbach-fi.com

Fischbach USA LLC
Dallas, TX, 75234 USA
Phone: +1 469 533 5500
usa@fischbach-fi.com

www.fischbach-fi.com

Fischbach

NOZZLES

TYPE RD 10





CAN BE COMBINED WITH

280 ml, 290 ml, 300 ml and 310 ml Fischbach cartridges

ADVANTAGEOUS FEATURES

> suitable for most applications

> with nozzle clip for automatic adaptation to the cartridge beneath the cartridge thread

> good mechanical handling possible, especially on fully automatic filling lines

TECHNICAL SPECIFICATION

Material: HDPE with 95% PCR HDPE
Color: black similar to F004
Weight: 4,0 g
Packaging unit: 1600 pcs./box

General tolerance:
DIN 16 901-150. Subject to technical changes. Our product recommendations are based on empirical data only and cannot replace the customer's own tests.

95% RECYCLED PLASTIC
Certified by RecyClass

Fischbach GmbH
51766 Engelskirchen, Germany
Phone: +49 2263 609 0
info@fischbach-fi.com

Fischbach Großenhain GmbH
01558 Großenhain, Germany
Phone: +49 3522 5285 0
info@fischbach-fi.com

Fischbach Belgium N.V.
9140 Temse, Belgium
Phone: +32 371 096 20
belgium@fischbach-fi.com

Fischbach Ibérica S.A.U.
17410 Sils (Girona), Spain
Phone: +34 972 168 487
spain@fischbach-fi.com

Fischbach (UK) Limited
Cheshire WA7 1SN, Great Britain
Phone: +44 1928 579 320
uk@fischbach-fi.com

Fischbach USA LLC
Elizabethtown, KY, 42701 USA
Phone: +1 270 769 9333
usa@fischbach-fi.com

Fischbach USA LLC
Dallas, TX, 75234 USA
Phone: +1 469 533 5500
usa@fischbach-fi.com

www.fischbach-fi.com